



LANDSCAPING GUIDE



TABLE OF CONTENTS

2	History
3	Capabilities
5	Product Highlights
17	Boulders, Ledge, & Outcropping
19	Cobblers
21	Drywall
23	Edgers
25	Flagstone
27	Steps
29	Our Facilities
31	Cut Stones
41	Granite & Premium Cut Stones
45	Accessories
46	Natural Stone Pavers
47	Natural Craft
48	Regency Wall
49	Visual Studios & App
50	Measurements

GLACIAL BOULDERS



TRANSFORMING THE STONE INDUSTRY WITH A PASSION FOR **EXCELLENCE.**

Established in 1995 by Kevin Thieret, Earthworks, Inc. is a cherished family-owned business driven by a shared dream to revolutionize the customer stone buying experience. Today, Kevin and his son, Aaron, work hand in hand with a dedicated team of over 165 employees, ensuring their unwavering vision remains at the core of everything they do.

In 1997, Earthworks proudly unveiled their first of seven quarries, strategically located throughout the Midwest, alongside a cutting-edge manufacturing



facility in Ste. Genevieve, Missouri. This father and son duo spearheaded several expansion efforts, enabling Earthworks to provide customers with an extensive array of rock, quarry blocks, finished dimensional cut stones, landscaping materials, and top-quality stone veneers for residential and commercial projects nationwide.

With a vast network of distribution partners across the United States and Canada, Earthworks stands ready to tackle projects of all sizes. From small-scale residential ventures to large



commercial undertakings, historical restoration projects, and landscape design initiatives, our comprehensive operations cater to diverse needs with expertise and finesse.

At Earthworks, our vision has always been to reimagine industry standards, explore the limitless possibilities of tomorrow, and exceed customer expectations at every turn. We strive to set new benchmarks, fuel creativity, and deliver an extraordinary experience for each valued customer we have the privilege to serve.

FROM CONCEPTION TO REALITY


Let **EARTHWORKS** help you visualize your outdoor space

You're an artist. And we want you to build something epic with EarthWorks - but where do you begin? Sometimes, you already have a clear-cut vision for your project. Other times, you need a little inspiration. Whatever the case, we're here with options.

With our hands on approach, and our state-of-the-art machinery, fabrication capabilities and variety of stone options, we can produce the right stone for any project: commercial, or residential - which includes interior, exterior, and landscaping!

We work together to tailor-make your vision to your exact specifications, keeping you at the forefront of efficiency and innovation. We are with you every step of the way, from the beginning design phase, through shop drawings and production. Followed by a seamless hand off to the contractor, where we'll work on job take-offs, and job-specific scheduled delivery processes.

**WE BELIEVE IN THE
POWER OF PARTNERSHIP,
AND SEE THE JOB FROM
CONCEPTION, TO THE
LAST STONE LAID.**



Earthworks can help provide the materials to beautify your outdoor living spaces for both commercial and residential properties. Our experienced staff and design team can assist in making your dreams a reality.

We have many products to choose from to suit the most discerning of tastes.

Products include but are not limited to:

- BOULDERS
- COBBLERS
- DRYWALL
- STONE EDGING
- FLAGSTONE
- OUTDOOR LIVING
- STEPS
- GRAVEL
- PAVERS
- CUSTOM CUT STONE
- VENEER STONE



St. Louis City Garden Drawing




COBALTBLOCK

by Earthworks

PRODUCT HIGHLIGHT

Quarried in Missouri, Earthworks' Cobalt Black Granite features a rich blend of black and gray tones with a tight grain and exceptional density. Its low absorption rate and striking appearance make it an ideal choice for both commercial and residential applications. From rugged, weathered boulders to refined custom-cut stone, Cobalt Black Granite offers versatile solutions for landscape and architectural projects alike.



IRREGULAR BOULDERS



SPECIALTY PIECES



POOL COPING
HONED FINISH BULLNOSED EDGE

CUSTOM CUT HONED FINISH

Cobalt Black Cut Stone & Paver Finishes



Bush Hammer





Honed



Polished



Thermal






PRODUCT HIGHLIGHT

Earthworks' EW Gold showcases a warm blend of golden hues, buff tones, and soft gray accents. With textured surfaces and natural color movement, it brings rustic charm and depth to any design. From tumbled boulders and cobbles to precision-cut stone, EW Gold offers durable, versatile options for adding rich, earthy character to both residential and commercial projects.



RANDOM DRYWALL & IRREGULAR STEPS



TUMBLED EDGER
SAWN TOP & BOTTOM



COBBLE EDGER



CUSTOM CUT STONE

EW Gold Cut Stone & Paver Finishes



Brushed



Bush Hammer



Honed



Polished



Machine Sandblasted




8 INCH DRYWALL



TUMBLER COBBLES



TUMBLER BOULDERS



BOULDER LEDGE



REGENCY WALL



LEDGE



PRODUCT HIGHLIGHT

Gabouri is a dense, marble-like limestone featuring a rich gray to greige base subtly interwoven with buff and beige marbling. Known for its durability and low absorption, its refined yet natural appearance makes it highly versatile. From precision cut stone and steps to drywall, tumbled edgers, boulders, and more; Gabouri has become a favorite among architects and designers, offering timeless beauty with reliable performance.




Gabouri Cut Stone & Paver Finishes

Light					
	Brushed	Bush Hammer	Honed	Polished	Machine Sandblasted
Dark					
	Brushed	Bush Hammer	Honed	Polished	Machine Sandblasted

CUSTOM PAVERS

SANDBLASTED & BUSH HAMMER FINISHES



SNAPPED STEPS



COBBLE EDGER



8 INCH DRYWALL



OLD WORLD TUMBLED DRYWALL



GABOURI BOULDERS



REGENCY WALL

Indiana Buff

by Earthworks

PRODUCT HIGHLIGHT

Indiana Buff is a classic limestone known for its warm buff tones, ranging from cream to light brown, with subtle veining and natural grain movement that add visual interest. Its fine to medium grain and reliable strength make it a versatile and enduring choice for both residential and commercial landscape applications. Timeless and trusted, Indiana Buff brings warmth and elegance to any project.




CUSTOM CUT STONE
CAPS, COPING, PAVERS, GRATES



POOL COPING
BULLNOSE / HONED



TREADS
BULLNOSE / HONED



CUSTOM SIGNAGE

Indiana Buff Cut Stone & Paver Finishes



Brushed




Bush Hammer



Honed



Machine Sandblasted



CUSTOM TREADS & PAVERS




PAVERS



TREADS & PAVERS
BULLNOSE / HONED



CUSTOM CUT COPING, TREADS, CAPS, AND CLADDING



CUSTOM CAP

Meridian

by Earthworks

PRODUCT HIGHLIGHT

Meridian is a rare limestone distinguished by a spectrum of light to deep reds, subtly veined with flashes of gold, buff, and light green. Its striking palette and natural movement make Meridian a standout choice in any landscape. Available in a variety of options, from snapped natural bed ledge and sawn drywall, to softly tumbled boulders and cobbles, Meridian delivers dramatic color and texture in every application.

MERIDIAN LEDGE



LEDGE



TUMBLER COBBLERS
MINI



TUMBLER EDGER
SAWN TOP & BOTTOM



PEWTER^{mist}


by Earthworks

PRODUCT HIGHLIGHT

Pewter Mist features a blend of light to dark gray tones, offering subtle texture and natural movement that add depth and character to any design. With its tight grain, high density, and low absorption rate, this durable stone pairs beautifully with a wide range of materials. Available in an extensive selection of landscape and cut stone options, Pewter Mist is a versatile and elegant choice for any project.



SAWN STEPS & REGENCY WALL




PREMIUM NATURAL
STEP / BRIDGE



FLAGSTONE
SAWN / SANDBLASTED

RUSTIC FLAGSTONE

Pewter Mist Cut Stone & Paver Finishes



Brushed



Bush Hammer



Honed



Polished




Machine Sandblasted




CUT STONE



CUSTOM PAVERS



TUMBLLED EDGER
SAWN TOP & BOTTOM



COBBLE EDGER



NATURAL BEAMS



REGENCY WALL



Adobe Buff Chunks



Adobe Buff Ledge

Natural Face

14 x 18 - 24" 14 x 30 - 40"
14 x 24 - 32" 14 x 48"+



Adobe Gray Ledge

Split Face

14 x 18 - 24"



Century Large Diameter
12-14", 18-24"



Century Outcropping Ledge
12-14" & 18-24"



**Cobalt Black Basket
Special Pieces**



Cobalt Irregular Boulders



Cobalt Rustic Boulder
1-2 per Pallet & Baskets



Eden Splitface
Outcropping Bobcat Size



EW Gold Large Diameter
12-14" & 14-16"



EW Gold Ledge
Bulk & Palletized



EW Gold Tumbled Boulders
6 - 18", 12 - 18", 18 - 24"



Gabouri Boulders
12-18", 18-24", 24-36" Baskets
or 1-2 per pallet



Glacial Boulders
12 - 18", 18 - 24", 24 - 36"



Grandview Boulders
12-24" Palletized or Bulk



Hackett Specialty Beams



**Ivory Cream Tumbled
Boulders**
12 - 18" & 18 - 24"



Jefferson Manor Ledge
Bulk & Palletized



Meridian Ledgerock



Meridian Tumbled Boulders
12-18" & 18-24"



Pewter Mist Natural Beams
Sawn Back



Specialty Boulder
Cobalt Black Granite



Specialty Boulder
Weathered Limestone



Specialty Boulder
Weathered Sandstone



Starlight Rustic Boulders
Boulders: 18 - 24"
12 - 18" 24 - 36"
Or 1 - 2 per PLT



Stonebridge Ledgerock



Weathered Granite Boulders



Weathered Limestone Boulders / Ledge



Weathered Rhyolite Boulders



Weathered Sandstone Boulders / Ledge



Wolf Gray Tumbled Boulders
12 - 18"



Wood Haven Boulders

*Specialty Boulders -
Please contact your sales
representative for
availability and selection.
Color, size and character
will vary.*



Bucks Creek Cobblers
2 - 4", 3 - 5"



Canadian Cobblers
4 - 8", 8 - 12"



Cobalt Black Tumbled Cobblers
2 - 3", 3 - 5", & 4 - 8"



Cobalt Black Irregular Cobblers
3-5"



EW Gold Tumbled Cobblers
2 - 4", 4 - 8", & 8 - 12"



Ivory Cream Tumbled Cobblers
2 - 4", 4 - 8", & 8 - 12"



Meridian Tumbled Cobblers
2 - 4", 4 - 8", & 8 - 12"





Mexican Rainbow Cobblers
2-4", 3-6", 6-8"



Mexican Beach Black Pebbles
Bag: 1 - 2" & 2 - 3"
Baskets: ½ - 1", 1 - 2", 2 - 3",
3 - 5", & 6 - 10"



Piney Creek Flats
3 - 5" & 6 - 10"



Piney Creek Skippers
2 - 3"



Sandy Creek Cobblers
2 - 4" & 4 - 10"

MEXICAN BEACH PEBBLES



Silver Creek Flats
Basket: 3 - 6"



Silver Creek Skippers
Basket: 1 - 2"



Southcrest Cobblers
Basket: 3 - 6"



Squaw Valley Rainbow Cobblers
2 - 4" (Mini), 4 - 8", & 8 - 20"



Squaw Valley Rainbow Flats
4 - 7" (Mini) & 7 - 12"




Squaw Valley Rainbow Skippers
2 - 4"



Wolf Gray Tumbled Cobblers
2 - 4" (Mini), 4 - 6", & 8 - 12"



Wood Haven Cobblers
Pond Mix, Small, Medium,
Large, & Extra Large



SQUAW VALLEY



INDIANA BUFF DRYWALL



Alpine 8" Drywall
2 - 3" & 3 - 4" Thick



Blue Sandstone 8" Drywall
3 - 4" & 4 - 6" Thick



Century Large Diameter
6-8" & 8-10"



Crestview 8" Drywall
6" Thick



Crestview Tumbled 8" Drywall
6" Thick



Eden Drywall
8" 2 - 3", 3 - 4" & 4 - 5" Thick
10" 2 - 3" & 3 - 4" Thick
12" 2 - 3" & 3 - 4" Thick



Eden Random Drywall
2-6" Thick



EW Gold 8" Drywall
4" Thick



EW Gold Old World Tumbled Drywall
3" & 6" Thick



EW Gold Random Drywall
2-3", 3-5", 5-6" & 6-8" Thick



EW Gold Large Diameter
3-5", 6-8" & 8-10" Thick



EW Gold Tumbled Random Drywall
3-5", 6-8" & 8-10" Thick



Gabouri 8" Drywall
4" Thick



Gabouri Old World Tumbled Drywall
3", 6" & 9" Thick



Hickory Star 8" Drywall
3 - 4" Thick



Indiana Buff 8" Drywall
4" Thick



Meridian 8" Drywall
4" Thick



Old Hickory Fieldstone
1 - 3" & 3 - 5" Thick




Pewter Mist 8" Drywall
4" Thick



Rumble Wall
1 - 3" Thick



Shadow Mountain Gray 8" Drywall
2 - 3" & 3 - 4" Thick



Shawnee 8" Drywall
2 - 3", 3 - 4" & 4 - 5" Thick



Shawnee Mega Wall Stone
10-12" Thick



Signature Wall Buff
7 3/4" Thick



Signature Wall Levieux
7 3/4" Thick



Weathered Fieldstone
1 - 3" & 3 - 5" Thick
Large Diameter: 1 - 3" & 3 - 5" Thick

**More options
may be available**



Alpine Edger Snapped
4" x 4" x Random



Alpine Edger Tumbled
4" x 4" x Random



Bluestone Tumbled Edgers
4" x 4" x Random



Cobalt Black Cobble
Edgers



Crestview Tumbled Edgers
4" x 4" x Random Heights



Eden Snapped Edger
4" x 4" x Random



Eden Tumbled Edger
4" x 4" x Random



EW Gold/Gray Cobbled Edgers
Sawn Top and Bottom



EW Gold/Gray Tumbled Edger
Sawn Top and Bottom



Gabouri Cobbled Edger



Gabouri Snapped Edger
Sawn Top and Bottom



Gabouri Tumbled Edger
Sawn Top and Bottom



Galaxy Gray Snapped Edgers



Galaxy Gray Tumbled Edgers
4" x 4" x Random



Hickory Star Snapped Edger
4" x 4" x Random



Hickory Star Tumbled Edger
4" x 4" x Random



Kansas Cream Cobble Edger



Kansas Cream Tumbled Edger
Sawn Top & Bottom



Meridian Tumbled Edger
Sawn Top and Bottom



Misty Gray Tumbled Edger
4" x 4" x Random

More options may be available



Old Street Cobblestones
120 per PLT



Osage Cobble Edgers



Osage Tumbled Edgers
Sawn Top & Bottom



Pewter Mist Cobble Edger



Pewter Mist Tumbled Edger
Sawn Top & Bottom



Shawnee Snapped Edger
4" x 4" x Random



Shawnee Tumbled Edger
4" x 4" x Random



Winter Pearl Edger
Sawn Top & Bottom



Winter Pearl Tumbled Edger Sawn
Top & Bottom



Available in;
Intermediate or Jumbo

Black
White
Red

HANDCUT COBBLESTONE
EDGERS

HANDCUT COBBLESTONE



Alpine Flagstone



Alpine Steppers



Bluestone Steppers
Full Color



Bluestone Stand Up
Flagstone
Available in Blue, Full Color,
& Lilac



Bluestone Tumbled
Standup Flag



Bluestone Tumbled
Steppers



Chilton Flagstone
1½" & 2½"



Chilton Steppers



SHAWNEE FLAGSTONE



Cowboy Coffee Steppers
1 - 1½"



Cumberland Mountain
Steppers



Eden Flagstone Steppers
Stand-up: ¾" +/- & 1 - 1½"
Laydown: 1-1½" & 2 - 2½"



Eden Steppers
8 - 20" & 12 - 24"



EW Gold Tumbled
Garden Path
1½"



Fossil Creek Flagstone
Stand-up: 1½ - 2"



Fossil Creek Steppers
1½ - 2"



Gabouri Flagstone
Also Available in
EW Gold & Pewter Mist
Sawn/Sandblasted 1½ - 2 ¼"



Gabouri Tumbled
Garden Path
1½ - 2 ¼"



Golden Quartz Flagstone
1½ - 2"



Hickory Star Stand-up
Flagstone
1 - 2" & 2 - 3"



Hickory Star Steppers



**Hickory Star Tumbled
Rects & Squares**
2 - 2½"



**Indiana Buff
Tumbled Garden Path**



**Meridian Tumbled
Garden Path**
1½"



Midnight Blue Flagstone



Pewter Mist Rustic Flagstone
1 - 2" & 2 - 3"



**Pewter Mist Tumbled
Garden Path**
1 1/2"




**Rocky Mountain Rose
Steppers**



**Rocky Mountain Rose
Flagstone**



**Shadow Mountain Gray
Flagstone**
Stand-up 1½"
Lay Down 1½ & 2"



**Shadow Mountain Gray
Stepper**
1½ & 2"



**Shawnee Blue/Brown
Flagstone**
Stand-up: 1 & 2"



**Shawnee Blue/Brown
Steppers**
1 & 2"



Shawnee Flagstone
Stand-up 1½"
Lay Down 1½ & 2"



Shawnee Steppers
1½ & 2"



Storm Mountain Quartz



Sunset Flagstone
Big Piece: 1½, 2, 2½, & 3"



Sunset Steppers
1½, 2, & 2½"



Swiss Sparkle Flagstone



Tumbled Garden Path

More options may be available



SHAWNEE IRREGULAR STEPS



Adobe Buff Irregular Steps



Alpine Snapped Step
3' x 18" & 4' x 18"



Blue Sandstone Snapped Step
3 - 4'



Crestview Snapped Step



Eden Irregular Step



Eden Snapped Step
3' & 4'



EW Gold Irregular Step



Gabouri Sawn Top and
Bottom Irregular Steps



Gabouri Snapped Step
Sandblasted: 3' & 4'
Sawn: 3' & 4'



Hickory Star Snapped Step
3' & 4'



Jefferson Manor Irregular Steps



Meridian Irregular Steps



Pewter Mist Natural Bed Step
3' & 4'



Pewter Mist Premium Natural
Step/Bridge



Pewter Mist Snapped Step
Sandblasted: 3' & 4'
Sawn: 3' & 4'



**Pewter Mist Sawn Top
and Bottom Irregular Steps**



**Shadow Mountain
Gray Irregular Step**



**Shadow Mountain
Gray Snapped Step**
3' & 4'



Shawnee Irregular Step



Shawnee Snapped Step
3' & 4'



Tennessee Snapped Step
3' & 4'




**Weathered Limestone
Irregular Step**



**Weathered Sandstone
Irregular Step**

**More options
may be available**



WEATHERED SANDSTONE IRREGULAR STEPS



OUR FABRICATION FACILITIES

A NEW ERA OF INNOVATION: EARTHWORKS' STATE-OF-THE-ART FACILITY

Our journey to becoming the leading natural stone supplier has always been fueled by the trust and support of our customers. Thanks to you, we're taking a monumental step forward with the opening of our new, state-of-the-art fabrication facility in 2025. Spanning nearly two football fields in length,

this advanced plant is designed for unparalleled scale, efficiency, and versatility to better serve your needs.

Equipped with cutting-edge technology, including two 100-blade gang saws, a 68-wire saw for precision slabbing, and automated resin and multi-headed

CRAFTING EXCELLENCE

- Pavers
- Caps
- Coping
- Slabs
- Cladding & More

finishing lines, this facility will allow us to produce higher volumes without compromising on quality or detail. Our new capabilities include cut-to-size production, automated packaging, and optimized production flow to maximize material yield and streamline processes.

With expanded capacity, we're able to offer a broader range of materials, including limestone, granite, and marble, as well as an array of products such as landscaping stones, paving materials, coping, cladding, and

large-scale custom stone options. Whether you're working on high-volume commercial projects or intricate custom designs, we now have the tools and capacity to bring your vision to life with precision and efficiency.

This facility represents more than just growth; it's our investment in the industry and in the relationships we've built with you. As we enter this exciting new chapter, we're proud to continue blending innovation with craftsmanship—ensuring that together, we can **BUILD Something EPIC.**



CUT STONE & PAVING

Creating something
custom is **EASY** with

EARTHWORKS
The Natural Stone Experts



PEWTER MIST BULLNOSED COPING
& ROCKFACED CAPS & COPING

Churchill Light

Churchill Light offers a soft, muted greige tone with hints of charcoal peppering offering a consistent texture and occasional marbling, making it a timeless choice for cut stone applications. Its high density and neutral palette allow it to blend seamlessly with a variety of materials and design styles - delivering both subtle elegance and lasting durability.

Physical Test Results

Absorption by Weight	0.50%
Compressive Strength	17,255 PSI
Modulus of Rupture	1,843 PSI
Flexural Strength	1,729 PSI
Density	168 lb/ft ³




Brushed



Bush Hammer



Honed



Polished



Machine Sandblasted



Brushed



Bush Hammer



Honed



Polished



Machine Sandblasted

Churchill Dark

Churchill Dark features a deeper greige tone with natural marbling and variation that add richness and dimension. Known for its strength and classic appeal, this high-density stone pairs beautifully with other substrates, making it a standout option for both traditional and contemporary architectural designs.

Physical Test Results

Absorption by Weight	0.50%
Compressive Strength	17,255 PSI
Modulus of Rupture	1,843 PSI
Flexural Strength	1,729 PSI
Density	168 lb/ft ³



Cottonwood Top Ledge

With its creamy base tones accented by soft gold highlights, Cottonwood Top Ledge offers a warm, inviting aesthetic. Natural surface variations and subtle textural accents give this limestone added character and dimension, making it an excellent choice for projects that call for both beauty and a touch of organic charm.

Physical Test Results

Absorption	6.51%
Bulk Specific Gravity	2.17
Weight	131.61 lb/ft ³
Compressive Strength	5,686 PSI
Modulus of Rupture	883 PSI
Flexural Strength.....	1,053 PSI
Abrasion Resistance	5.06



Brushed



Bush Hammer



Honed



Machine Sandblasted



Brushed



Bush Hammer



Honed



Machine Sandblasted



Cottonwood Bottom Ledge

A cream-toned limestone with subtle gold hues, Cottonwood Bottom Ledge offers a tighter grain than its top-ledge counterpart. Its rich color complements a wide range of materials, delivering both durability and elegance to any design.

Physical Test Results

Absorption	8.31%
Bulk Specific Gravity	2.11
Weight	131.59 lb/ft ³
Compressive Strength	5,509 PSI
Modulus of Rupture	949 PSI
Flexural Strength.....	738 PSI
Abrasion Resistance	3.75

Chocolate Marble


Rich chocolate-gray tones and classic marble veining give Chocolate Marble a distinctive, upscale appearance. Known for its high density and low absorption rate, this versatile stone performs as beautifully as it looks. Available in a range of finishes, it offers striking variations in both color and texture to suit any design vision.

Physical Test Results

Absorption	0.08%
Specific Gravity	2.7
Density	168.6 lb/ft ³
Compressive Strength	16,548 PSI
Modulus of Rupture	1,852
Flexural Strength.....	1,411
Coefficient of Friction	30.7



Brushed




Bush Hammer



Honed



Polished



Machine Sandblasted




Brushed



Bush Hammer



Honed



Polished



Machine Sandblasted



EW Gold

With its warm blend of gold and cream tones, EW Gold is a distinctive limestone that adds timeless character to any space. Celebrated for its natural beauty and strength, this elegant stone is a favorite in both residential and commercial designs. Its durability and refined color make it a versatile and enduring choice for projects of all kinds.

Physical Test Results

Absorption	1.20%
Bulk Specific Gravity	2.7
Weight	167.0 lb/ft ³
Compressive Strength	22,200 PSI
Modulus of Rupture	1,940 PSI
Flexural Strength.....	1,782 PSI
SRI Value	47



Gabouri Light


Gabouri Light presents a refined greige base accented by soft buff and beige marbling, offering a subtle, sophisticated palette. This exceptionally dense limestone, with marble-like qualities, delivers both strength and elegance. Its understated tones and durability make it a favored choice for paving, cladding, and custom architectural elements in both traditional and contemporary designs.

Physical Test Results

Absorption	0.36%
Bulk Specific Gravity	2.7
Weight	167.0 lb/ft ³
Compressive Strength	12,040 PSI
Modulus of Rupture	1,070 PSI
Flexural Strength	769 PSI
SRI Value	55-56
Coefficient of Friction (Dry)	29.8 AVG
Coefficient of Friction (Wet)	33.7 AVG
Salt Test	5.09
Freeze Thaw	0.14% loss



Brushed



Bush Hammer



Honed



Polished



Machine Sandblasted



Brushed



Bush Hammer



Honed



Polished



Machine Sandblasted



Gabouri Dark

Gabouri Dark features a rich gray to greige foundation interwoven with buff and beige marbling, creating a striking visual contrast. Sharing the same high density and low absorption as its lighter counterpart, this limestone offers enhanced depth and character. Its bold coloration and resilience make it ideal for statement pieces in paving, cladding, and architectural applications.

Physical Test Results

Absorption	0.36%
Bulk Specific Gravity	2.7
Weight	167.0 lb/ft ³
Compressive Strength	12,040 PSI
Modulus of Rupture	1,070 PSI
Flexural Strength	769 PSI
SRI Value	55-56
Coefficient of Friction (Dry)	29.8 AVG
Coefficient of Friction (Wet)	33.7 AVG
Salt Test	5.09
Freeze Thaw	0.14% loss

LAKEsidebuff

by Earthworks

Lakeside Buff

Lakeside Buff is an elegant, consistently colored limestone characterized by its soft creamy buff tones. Offered in a variety of finishes, Lakeside Buff allows for creative flexibility - whether you're after a refined, smooth surface or a more natural, textured feel.

Physical Test Results

Absorption by Weight	5.34%
Compressive Strength	8,179 PSI
Density	139.9 lb/ft ³



Brushed



Bush Hammer



Honed



Machine Sandblasted



Brushed



Bush Hammer



Honed



Polished



Machine Sandblasted

PEWTERmist

by Earthworks

Pewter Mist

Pewter Mist features a sophisticated blend of light to dark gray tones, offering a versatile and modern aesthetic. Its high density, low absorption, and tight grain make it both durable and dependable. With subtle texture and natural movement, Pewter Mist adds depth and character - perfectly complementing a wide range of stones and surrounding materials.

Physical Test Results

Absorption	3.2%
Specific Gravity	2.4
Weight	149.24 lb/ft ³
Compressive Strength	12,188 PSI
Modulus of Rupture	1,289 PSI
Flexural Strength	903 PSI
SRI Value	34-58



Bush Hammer



Honed



Machine Sandblasted



Thermal

ASHBOURNE

by Earthworks

Ashbourne

Ashbourne is a premium dark gray sandstone with a tightly grained structure and remarkable consistency in both color and texture. Its refined appearance makes it a versatile choice that complements any design style, from classic to contemporary. Elegant and enduring, Ashbourne brings a timeless beauty to every project.

Testing and safety data available at earthworkstone.com.

INDIANA

by Earthworks

Indiana Buff

Known for its classic buff tones ranging from cream to light brown, Indiana Buff features subtle veining and natural grain movement that add visual depth. With a fine to medium grain, this enduring limestone has long been a trusted choice in both commercial and residential construction thanks to its strength, versatility, and timeless appeal.

Physical Test Results

Absorption by Weight	3.56%
Compressive Strength	9,694 PSI
Modulus of Rupture	1,478 PSI
Flexural Strength	1,302 PSI
Specific Gravity	2.35



Brushed



Bush Hammer



Honed



Machine Sandblasted



Brushed



Bush Hammer



Honed



Machine Sandblasted

INDIANA

by Earthworks

Indiana Full Color

Blending the warm tones of Indiana Buff with the cool elegance of Indiana Gray, Indiana Full Color offers a rich, natural palette that brings depth and character to any design. Often featured on grand estates and prominent commercial buildings, this versatile limestone adds timeless appeal and sophistication to projects of any size or style.

NOTE: Indiana Full Color is a combination of buff and gray stone. Pieces will range from full buff to full gray to variegated.

Physical Test Results

Absorption by Weight	3.56%
Compressive Strength	9,694 PSI
Modulus of Rupture	1,478 PSI
Flexural Strength	1,302 PSI
Specific Gravity	2.35

INDIANA

by Earthworks

Indiana Gray

A globally recognized classic, Indiana Gray showcases elegant light to medium gray tones with subtle veining and natural grain movement. Its fine to medium grain and consistent texture make it a go-to choice for designers and builders seeking timeless style and dependable performance across both traditional and modern applications.

Physical Test Results

Absorption by Weight	3.56%
Compressive Strength	9,694 PSI
Modulus of Rupture	1,478 PSI
Flexural Strength	1,302 PSI
Specific Gravity	2.35



Brushed



Bush Hammer



Honed



Machine Sandblasted



Brushed



Bush Hammer



Honed



Machine Sandblasted

Silverdale

by Earthworks

Silverdale

Silverdale showcases warm, creamy gold tones with a refined, tight grain and smooth texture that lends a sense of understated elegance. Celebrated for its versatility, this classic limestone is a top choice for architectural elements such as cladding, pavers, and custom cut stone - delivering both beauty and performance.

Physical Test Results

Absorption	7.51%
Specific Gravity	2.15
Weight	134.19 lb/ft ³
Compressive Strength	5,047 PSI
Modulus of Rupture	222 PSI
Flexural Strength	725 PSI
Abrasion Resistance	3.18

St. Anselm

by Earthworks

St. Anselm

St. Anselm is a marble-like limestone featuring a sophisticated blend of taupe, cream, and light gray marbling. Its elegant coloration complements a wide range of design palettes, making it an excellent choice for both residential and commercial applications. This unique stone offers versatility in color and texture through various finishes. With its combination of beauty and adaptability, St. Anselm is well-suited to elevate any architectural project.

Physical Test Results

Absorption by Weight	0.25%
Compressive Strength	16,610 PSI
Modulus of Rupture	1,790 PSI
Flexural Strength	1,450 PSI
Density	168 lb/ft ³



Brushed



Bush Hammer




Honed



Polished




Machine Sandblasted



INDIANA BUFF HONED
PAVERS, TREADS, & CUT STONE



ST. ANSELM SANDBLASTED
& BRUSHED PAVERS



PEWTER MIST SANDBLASTED
& BULLNOSE COPING



SILVERDALE
SANDBLASTED PAVERS




GABOURI BUSHHAMMERED
AND BRUSHED PAVERS &
SANDED CUSTOM BENCHES

GRANITE & PREMIUM STONES

Renowned for its unmatched strength and durability, granite is one of the most trusted natural stones for a wide range of design and construction applications.

The Earthworks Granite & Premium Stone Collection features a curated selection of premium granites and specialty stones from around the world - precision cut and available in a variety of finishes to suit any style or function. With color options spanning crisp whites, soft grays, deep blacks, rich reds, and warm earthtones, this collection offers versatile solutions for everything from cladding and countertops to pavers and architectural accents. Whether you're designing a timeless exterior or a high-performance interior, Earthworks Granite & Premium Stone Collection delivers lasting beauty and performance.




CARRINGTON

Carrington

Physical Test Results

Absorption by Weight	0.09%
Compressive Strength	21,450 PSI
Modulus of Rupture	1,980 PSI
Flexural Strength	1,670 PSI
Density	177.9 lb/ft ³



Bush Hammer



Honed



Polished




Thermal

Cobalt Black

Physical Test Results

Absorption by Weight	0.14%
Compressive Strength	26,800 PSI
Modulus of Rupture	2,700 PSI
Flexural Strength	2,400 PSI
Density	178.1 lb/ft ³



Bush Hammer



Honed



Polished




Thermal


Greystone Granite

Physical Test Results

Absorption by Weight	0.21%
Compressive Strength	23,645 PSI
Modulus of Rupture	2,393 PSI
Flexural Strength	2,114 PSI
Density	165.7 lb/ft ³



Bush Hammer



Honed



Polished



Thermal

Kiona Beige

Physical Test Results

Absorption by Weight	0.15%
Compressive Strength	20,800 PSI
Modulus of Rupture	1,800 PSI
Flexural Strength	1,500 PSI
Abrasion Index	27.7



Bush Hammer



Honed



Polished



Thermal

Missouri Red

Physical Test Results

Absorption	0.05%
Compressive Strength	18,680 PSI
Modulus of Rupture	1,152 PSI
Bulk Density	175.5 PCF



Bush Hammer



Honed



Polished



Thermal

Riveria

Physical Test Results

Absorption by Weight	0.12%
Compressive Strength	28,021 PSI
Modulus of Rupture	1,711 PSI
Flexural Strength	1,392 PSI
Density	169 lb/ft ³



Bush Hammer



Honed



Polished



Thermal


Roman White

Physical Test Results


Absorption by Weight	0.256%
Compressive Strength	34,027 PSI
Modulus of Rupture	1,937 PSI
Flexural Strength	1,754 PSI
Density	164.4 lb/ft ³




Bush Hammer



Honed



Polished



Thermal

Verde Ola

Physical Test Results

Absorption by Weight	0.2%
Compressive Strength	20,305 PSI
Flexural Strength	2,117 PSI
Density	170.4 lb/ft ³



Bush Hammer





Honed



Polished



Bush Hammer



LANDSCAPING ACCESSORIES


TO COMPLETE YOUR VISION

Earthworks offers a wide range of custom accessories to add the perfect finishing touches to any project. Crafted with precision and designed to enhance both form and function, our accessories ensure every detail of your project is thoughtfully completed.

Custom Accessories We Create:

- Pier Caps
- Wall Coping
- Pool Coping
- Coping Blanks
- Stair Treads
- Hearths
- Outdoor Counter Tops
- Benches
- Decorative Accents and More

From subtle details to bold statements, our accessories are designed to elevate your project's style and durability.



NATURAL STONE PAVERS


Earthworks offers an extensive selection of natural stone pavers in a wide range of colors, textures, and finishes to suit any landscape style. Choose from in-stock sizes or we will custom cut exactly what your project needs. Durable, timeless, and uniquely beautiful - our pavers are built to elevate any outdoor space.

Stock Sizes 1/3/16" (3cm) Thick


Pallet Sizes: 12x12, 12x24 & 24x24, 24x36

Mixed Pallet Includes: 12x12, 12x24 & 24x24

*Pavers are also available in all cut stones.
See pages 31 - 44 for available colors and finishes.*




GABOURI
MACHINE SANDBLASTED



INDIANA BUFF
HONED



PEWTER MIST
MACHINE SANDBLASTED



ST. ANSELM
MACHINE SANDBLASTED



GABOURI



INDIANA BUFF

NATURAL CRAFT™

by EarthWorks

NATURAL STONE AT AN AFFORDABLE PRICE

Craftsmen have been shaping and sculpting stone for centuries. It is widely considered to be the world's most durable building material, emanating strength, warmth, and elegance. For this reason, design professionals are encouraged to use stone whenever possible. It used to be that the cost of natural stone was not within the allotted budget for most people, but with the advent of Natural Craft by EarthWorks, you may now have premium natural stone at an affordable price!

BENEFITS OF NATURAL CRAFT



BUILT-IN
MOISTURE
MANAGEMENT
SYSTEM



EASY TO
INSTALL WITH
MINIMAL
TOOLS



NO MORTAR
OR WIRE &
PARGE COAT
REQUIRED



ECO-FRIENDLY
WITH
MINIMAL TO
NO DUST



BEAUTY OF
100%
NATURAL
STONE



EXCEEDS
INTERNATIONAL
BUILDING
CODES

STONE OPTIONS



BELLHURST



DESERT MESA



GRAPHITE



INDIGO



MOJAVE SUNRISE

NATURAL CRAFT INSTALLATION

Consult with your local and state building codes for all flashing details before installing stone.



STEP ONE INSTALL STARTER STRIP

Make sure the surface is properly moisture-managed with two layers of WRB (Water Resistant Barrier) and structurally sound. Next, attach the starter strip. This not only acts as a level for your stone install, it is also specifically designed for our patented Natural Craft bracket, which creates an all-in-one weep screed and kick out flashing as required by code worldwide.



STEP TWO CORNERS FIRST

Once the starter strip is in place, move on to the corners. Alternate long leg and short leg when installing corners to avoid stack joints.



STEP THREE INSTALL FLATS

After the corner is installed, add the flats in a pyramid shape away from the corner. If a project only requires flats, build up in a triangle.



STEP FOUR ADMIRE YOUR WORK!

Once the flats are in place, check the top with a level and make sure there are no stacked joints. Then, step back and admire your work!

Our patented Natural Craft stones are the only masonless natural stone to date. Since mortar is not required, there is minimal mess, not to mention the ease of installation with only a few basic tools. It's easy to see why **Natural Craft by EarthWorks** is the **perfect choice** for any stone project.



One of the most complementary and choice for stone walls and outdoor living spaces. Uniquely sized blocks make it easy to install in random patterns for a perfect finished look. The versatility of The Regency Wall System allows you to coordinate retaining and free-standing walls to create the perfect solution to any residential or commercial project.

COMPONENTS

We have made every attempt to display realistic photos, however colors may vary due to the printing process. Final color selection should be made from actual product samples.



WALL UNIT

10.5" x 12" x 24" - 48" Lengths
Split Face Front and Back Face
Sawn Top and Bottom Heights
One (1) Tapered End for Radius Wall Applications
One (1) End Split Square for 90 Degree Corner Unit



BASE UNIT

10.5" x 18" x 24" - 48" Lengths
Split Face Front and Back Face
Sawn Top and Bottom Heights
One (1) Tapered End for Radius Wall Applications
One (1) End Split Square for 90 Degree Corner Unit



WALL CAP UNIT

36" x 14" x 5"
Split Face Front and Back Face
Sawn Top and Bottom Heights



STEP UNIT

See sales support
for multiple step options



COLUMN UNIT

Column Cap 28" x 28" x 5"
Split Face Sides and Sawn Top
Also available Rockface (shown)
Column Base Unit 24" x 24" x 12"
Split Faced Four Sides
Sawn Top and Bottom



PEWTER MIST REGENCY WALL

THE BENEFITS

Ease of Install:

With fewer pieces, pinless design, and controlled heights and depths, The Regency Wall System reduces construction time and labor costs. Plus, the material used in The Regency Wall System reduces physical labor demands.

Versatility:

Uniquely sized in 10.5" x 12" random length blocks, creating the timeless beauty of a natural stone wall is easy to construct. The single or double sided blocks are sawn top and bottom and come in a color choice of our popular EW Gold, Gabouri or Pewter.

Sustainability:

Natural stone itself is a sustainable product. The genuine natural stone retaining wall system of The Regency Wall System is stronger and more durable than many man-made products. Ongoing environmental demands will not degrade the surface or wash out the color. The Regency Wall System is an eco-friendly way of developing your commercial site or beautifying your landscape with low impact to the environment.

Strong and Durable:

The Regency Wall System, with very similar construction practices as a segmental retaining wall system, is tough, long-lasting, and eco friendly. By utilizing a friction connection or a positive connection with geo-grid, practically any construction demand can be met.



EW Gold



Gabouri



Pewter Mist



Crestview

Note:

Sizing for the Crestview Regency Wall differs from standard dimensions shown in this catalog. Please refer to the price book or our website for specific sizing details.

It's easy!

- ① Upload a photo of your project or your plans.
- ② Map out the various elements with our built-in tracing tools.
- ③ Visualize numerous combinations.
- ④ Create your dream and save it for future needs.



Visit our site today to take
the first steps towards
**BUILD
SOMETHING
EPIC.**



CHECK OUT OUR UPDATED WEBSITE

Visit us online!



- ✓ Easy to navigate
- ✓ Inspiration photos & videos
- ✓ Updated regularly
- ✓ Full product line offering



AND OUR SMART PHONE APP

Download Now!



Visit the APP STORE or GOOGLE PLAY STORE
and search for "EarthWorks".

- ✓ View all of our natural stone collections
- ✓ Watch our incredible project videos
- ✓ Connect with us on social media
- ✓ Call us directly from the app
- ✓ Updated regularly with products & videos



APPROXIMATE CALCULATIONS

4" VENEER COVERAGE CHART

sandstone 3-5" = 40 - 45 face sq ft per ton
 soft limestone 3-5" = 45 sq ft per ton
 dense limestone 3-5" = 40 sq ft per ton
 lime/sand mosaic 3-5" bed = 40 - 45 sq ft per ton
 granite 3-5" = 32-35 sq ft per ton

PRE MIX MORTAR FOR STONE

adhering stone veneer - 25 sq ft per bag
 jointing stone veneer – 25 sq ft per bag
 adhering & jointing – 13 sq ft per bag
 metal lath = 2'4"x8' – 18 sq ft per piece
 scratch coat = 2'4"x8' – 18 sq ft per bag
 natural stone 4" depth – 7 sq ft per bag

MATERIAL WEIGHT (LBS PER CU YD)

concrete wet = 3730 lbs
 clay dry = 2300 lbs
 top soil loose = 2050 lbs
 limestone crushed = 2700 lbs 3/4"
 decorative gravel = 2800 lbs
 sand dry = 2750 lbs
 sand wet = 3300 lbs
 water = 1700 lbs / per yd

LIQUID MEASUREMENTS

1 tbsp = ½ oz = 3 tsp
 1 cup = 8 oz = ½ pint
 4 cups = 2 pints = 1 quart
 4 quarts = 128 oz = 1 gallon
 1 liter = 33.82 oz = 1.057 quart
 4.228 liters = 128 oz = 1 gal

BOULDER / LEDGE WALLS

sandstone = 140-165 lbs / cu ft / 6-7 face sq ft / ton
 limestone = 150-170 lbs / cu ft / 5-6 face sq ft / ton
 granite = 180-200 lbs / cu ft / 4-5 face sq ft / ton

DRYWALL COVERAGE

random drywall 15 sq ft / ton
 8" drywall 20 sq ft / ton
 10" drywall 15-16 sq ft / ton
 12" drywall 11-12 sq ft / ton
 regency wall 11-12 sq ft / ton

COBBLERS & EDGERS

natural stone edging 120 ln ft / ton
 1-2" cobblers 90 sq ft / ton
 2-4" cobblers 60 sq ft / ton
 4-8" cobblers 30-35 sq ft / ton
 8-12" cobblers 15-17 sq ft / ton

FLAGSTONE COVERAGE

¾-1 ¼" = 160 sq ft per ton
 1"- 1 ½" = 130 sq ft per ton
 1 ½ - 2" = 90 sq ft per ton
 2 - 2 ½" = 70 sq ft per ton
 2 ½ - 3" = 60 sq ft per ton
 note: coverage based on 150 lbs per cu ft
 & depends on density of stone

AREA MEASUREMENTS

144 sq in = 1 sq ft
 9 sq ft = 1 sq yd
 1 acre = 4,840 sq yds
 1 acre = 43,560 sq ft
 640 acres = 1 sq mile

LINEAR MEASUREMENTS

12in = 1 foot
 3 feet = 1 yard
 1,760 yards = 1 mile
 1 mile = 5,280 feet

AREA OF SQUARE

sq ft = length(') x width(')
 cu ft = length(') x width(') x height(')

CIRCLES

radius = ½ distance across center of circle
 diameter = distance across center of circle
 circumference = distance around a circle
 pie = 3.14
 diameter x 3.14 = circumference
 radius x 2 x 3.14 = sq ft of circle

CM / INCH CONVERSION

1 cm = 0.393701 inches
 cm x 0.393701 = inches
 1 inch = 2.54 cm
 inches x 2.54 = cm

CONVERSION CHART

Inches	CM	Decimals	Inches	CM	Decimals	Inches	CM	Decimals
3/4"	2cm	0.78	3 1/4"	8cm	3.15	5 1/2"	14cm	5.51
1 1/4"	3cm	1.18	3 5/8"	9cm	3.54	6"	15cm	5.91
1 1/2"	4cm	1.57	4"	10cm	3.94	6 1/4"	16cm	6.30
2"	5cm	1.96	4 1/4"	11cm	4.33	6 3/4"	17cm	6.69
2 1/4"	6cm	2.36	4 3/4"	12cm	4.72	7"	18cm	7.09
2 3/4"	7cm	2.75	5"	13cm	5.12	7 1/2"	19cm	7.48

WEIGHT

16 oz = 1 lb
 2000 lbs = 1 ton

CUBIC MEASUREMENTS

length (") x width (") x height (") / 1728 = cu ft
 length (') x width (') x height (') = cu ft
 sq inches x .007 = sq ft
 sq ft x .111 = sq yd
 1,728 cu in = 1 cu ft
 27 cu ft = 1 cu yd
 cu in x .000579 = cu ft

**BUILD
SOMETHING
EPIC.**



earthworksstone.com



EarthWorks

**Corporate Office /
Distribution**

4287 N. Hwy 51
Perryville, MO 63775
Phone: 573.547.9097
Toll Free: 800.887.4555

**Design Center /
Distribution**

16900 Baxter Rd.,
Chesterfield, MO 63005
Phone: 636.532.0713
Toll Free: 800.532.9510

**Design Center /
Distribution**

801 N. State St.,
Freeburg, IL 62243
Phone: 618.710.3067